



specialtyappliance
buy smarter

www.BUYFROMSA.com

MCCLEARY, KELLY
INK BLOT INTERIORS

Cameron Sprincz

cameron@buyfromsa.com



REMINDER:

To ensure a smooth project it is the responsibility of the homeowner / purchaser of appliances for this project to share all the attached specifications to ensure the cabinet provider, contractor, or any other tradesperson have all the information required to complete their work accurately.

Specifications are subject to change. If any tradesperson has questions regarding the attached specifications please contact our sales associate.



specialtyappliance
buy smarter

Guidelines for the Best Experience

- Orders are initiated by a deposit. Full payment is required to schedule delivery and installation. There is typically a 2-3 week lead time for scheduling installation services. Please plan accordingly.
- Special Order items require a 100% deposit and are non-returnable and non-refundable. Your Sales Associate will identify what products (if any) are considered Special Order items.
- It is the Purchaser's responsibility to ensure that the site is Spec-Ready. Spec Ready means that the site is prepared in exact accordance with the manufacturer's specification as provided. If the site is not Spec-Ready, we will not be able to complete your installation as planned. It is the purchaser's responsibility to contract other needed professional services (carpenter, plumber, HVAC, electrician, etc.).
- Specialty Appliance needs open and safe access to and on your property to execute a successful delivery and install. Walkways must be clean of debris and/or snow and at least 3 ft. wide. Our Teams need an unobstructed path from the point of entrance to the final delivery location. Please advise your Sales Associate if your property has any unique obstructions that might make it difficult to facilitate the delivery (Like narrow stairs, stairs more than one story high, uneven terrain, low ceilings, etc.).
- There is a national shortage of appliances. The E.T.A.'s we get from manufacturers are rarely accurate and will likely change many times. We will do our best to keep you informed but due to the number of orders and corresponding changes- we simply cannot advise you of every change.
- Specialty Appliance will accept returns on normally stocked items within 30 days of the initial delivery date (Special Order items are non-returnable). Returned product is subject to a restocking fee.
- The appliances sold by Specialty Appliance are warranted by the respective manufacturer- not Specialty Appliance. Specialty Appliance does warrant our installation services for 1 full year.
- Our Customer Service team is here to help facilitate service as needed within the manufacturer's warranty.
- Orders must be paid in full in order to be scheduled for delivery/install.
- Cosmetic damage issues must be reported within 24 hours of the delivery. Specialty Appliance will not accept any liability for cosmetic issues reported more than 24 hours after a delivery.
- Specialty Appliance will confirm your anticipated target dates for delivery. Specialty Appliance cannot hold merchandise for more than 30 days. You may need to make storage arrangements if your project is delayed more than 30 days from your confirmed target date.

Refer to www.buyfromsa.com/terms-and-conditions for complete terms and conditions

Thank you for choosing Specialty Appliance!



MCCLEARY, KELLY
INK BLOT INTERIORS

404 CLOVER LN
 FORT COLLINS, CO 80521
 H-Phone: (970) 999-2375



Specialty Appliance

buyfromsa.com

Cameron Sprincz

9702232098

Quote **FQ6205008**

Version 4.4

Mon, Aug 25, 2025

5:06 PM MDT



enterprise.steelcod.com/sp/saco/X9MLZ5LR

<i>Contents</i>	<i>Page no.</i>
ZHU36RSTSS Monogram Cooktop 36" Induction Cooktop - Silver	5
AK8300BSX Zephyr Ventilation 38" Tornado III Insert	6
CBI-390A Zephyr Blower Single Internal	7
HBL8743UC Bosch Wall Oven 30" 800 Series Combination Oven - Black Stainless Steel	8
SHV78CM3N Bosch Dishwasher 24" 800 Series Custom Panel Dishwasher	9
DRR30980RAP	10

Note about page numbers:

Because the original manufacturer's documents are not altered in any way, the page numbers displayed on the page may not correspond to the page number within this package.

All specifications are intended for initial planning purposes only.

Manufacturers reserve the right to change specifications at any time without notice. Always consult the installation instructions found on the manufacturer's website or included with the appliances before installation.

Dacor Refrigeration

30" Column Refrigerator - Panel Ready - Right Hinge

DRZ24980RAP

11

Dacor Refrigeration

24" Column Freezer - Panel Ready - Right Hinge

Note about page numbers:

Because the original manufacturer's documents are not altered in any way, the page numbers displayed on the page may not correspond to the page number within this package.

All specifications are intended for initial planning purposes only.

Manufacturers reserve the right to change specifications at any time without notice. Always consult the installation instructions found on the manufacturer's website or included with the appliances before installation.

MONOGRAM 36" INDUCTION COOKTOP

ZHU36RSTSS



5 INDUCTION COOKING ELEMENTS

This 5-burner induction cooktop provides rapid heat that quickly responds when you change the temperature. Electromagnetic technology heats the pan, not the cooktop surface.

POWER BOIL ON TWO TRI-RING ELEMENTS

Cook faster with a variety of different pan sizes on this powerful rapid boil electric cooktop with two 3,000-watt flexible elements.

PRECISION TEMPERATURE CONTROL

Set your burner to an exact degree, not just high, medium or low, with Precision Temperature Control. Using a smart pan, the cooktop maintains a specific temperature – from 100 to 500 degrees. Perfect for sauces, candies and frying.

EASY CLEAN SURFACE WITH BEVELED EDGES

A smooth glass surface with beveled edges, glide touch controls and induction technology that ensures spills won't burn makes this an easy clean cooktop.

GLIDE TOUCH CONTROLS

Choose from 19 different heat settings with one easy swipe for precise heat control on this easy-to-clean induction cooktop.

SYNCHRONIZED ELEMENTS

Connect and control two cooktop burners as one to create a bigger cooking surface for pans such as griddles.

KEEP WARM SETTING

This electric cooktop's 7" element features a range of heat - from a dedicated "Keep Warm" setting to the power to boil water.

CONTROL LOCK

Protect against unintentionally turning your cooktop on with a safety control lock setting.

HOT SURFACE INDICATOR LIGHTS

A quick glance is all it takes to know when elements are hot on this induction cooktop with hot surface indicator lights.


PRO

TORNADO III


INSERT

ZEPHYR

ZEPHYRONLINE.COM




TOP




SIDE



Includes Wireless Remote Control




Cabinet Bottom Cut-Out Size (W x D): 34-11/16" x 14-3/4"




FRONT


CBE-1000
(external)



PBN-1000A
(in-line)



DBI-600A
(internal/in-line)



BLOWERS

MODEL	BLOWER TYPE	MAX WATTS*	MAX AMPS*	CFM	SONES	COMPATIBLE MODELS
CBI-290C	Single Internal	77	0.75	200 - 290	1.4 - 3	AK8300BSX, Designer Collection
CBI-390A	Single Internal	255	2.1	200 - 390	1.4 - 5	AK8300BSX, Designer Collection
CBI-600A	Single Internal	320	2.75	240 - 600	1.8 - 6	AK8300BSX, Designer Collection
DBI-600A	Internal/In-Line	340	3.0	200 - 600	NA	DLI-ExxASX
PBI-1100B	Dual Internal	640	5.45	500 - 1,100	3.5 - 8	AK8300BSX, ALU-ExxCxX
PBI-1100B-DME	Dual Internal	640	5.4	500 - 1,100	3.5 - 8	DME-E48AxxX
PBD-1200A	Dual Internal	660	5.8	400 - 1,200	3.5 - 9	AK70xxCS, AK75xxCS
PBD-1300B	Dual Internal	490	8.0	350 - 1,300	1 - 8	AK7336AS, AK74xxAS, AK76xxBS, AK77xxBS, AK94xxBS, ZRP-ExxBS
CBE-1000**	External	640	5.45	500 - 1,000	NA	AK8300BSX, Designer Collection
PBN-1000A**	In-Line	700	6.25	500 - 1,000	NA	AK8300BSX, Designer Collection

*Add blower Watts and Amps to AC Power details from hood spec sheet to determine total power consumption.
 **For Designer Collection hoods you must transition from 10" to 8" ducting before duct passes through ceiling. A 10" to 8" adapter is included with external and in-line blowers.
 The exception to this is ALU-ExxCxX which uses a 10" round.

30" Speed Combination Oven

800 Series – Black Stainless Steel HBL8743UC



HBL8743UC

Black Stainless Steel

Also available in:
Stainless Steel HBL8753UC

Bosch speed combination ovens create an all-in-one cooking center with an upper speed oven and a Convection Multi-Rack oven below.

Features & Benefits

Bosch black stainless steel helps guard against scratches and fingerprints.

2-in-1 microwave and convection oven with 9 SpeedChef® programs to simplify cooking with fast results.

Convection Multi-Rack combines a third heating element with a back fan for even browning and time savings by using multiple racks at one time.

Download the Home Connect® app to remotely monitor and control your Bosch wall oven with your smart phone or tablet.

General Properties

Home Connect® – lower cavity (WiFi enabled)	Yes
Oven modes – upper cavity	Speed oven; 12 Auto Programs (including Auto Defrost, Melt Butter, Soften Ice Cream, Pizza), 9 Sensor Cook Programs, 9 SpeedChef® Programs, Hi & Lo Broil, Convection Multi-Rack, Keep Warm, Frozen Foods
Oven modes – lower cavity	Bake, Variable Broil (hi & low), Roast, Warm, Sabbath, Proof Dough, Convection Bake, Convection Broil, Convection Roast, Pizza, Convection Multi-Rack, Convection Conversion, Temperature Probe, Fast Preheat
Cleaning type – lower	Self Clean
Telescopic rack	1
Illumination type	LED (Upper) / Halogen (Lower)
Interior lights	1 Upper / 2 Lower

Oven Performance

Microwave power – upper cavity	1000 W
Bake / broil element – upper cavity	600 / 1,750 W
Convection element – upper cavity	1,700 W
Bake / broil element – lower cavity	2,400 / 3,800 W
Convection element – lower cavity	2,000 W

Technical Details

Watts	9,600 W
Circuit breaker	40 A
Volts; Frequency	240 / 208 V; 60 Hz
Power cord length	60"
Plug type	Fixed Connection, No Plug
Energy source	Electric

Dimensions & Weight

Overall appliance dimensions (HxWxD)	49" x 29 3/4" x 24 1/2"
Required cutout size – Standard (HxWxD)	48 5/8" x 28 1/2" x 23 1/2"
Required cutout size – Flush (HxWxD)	49 1/8" x 30" x 24 1/2"
Speed oven cavity size – upper	1.6 cu. ft.
Overall upper speed oven interior dimensions (HxWxD)	9 7/8" x 16 1/2" x 16 1/2"
Metal turntable diameter	13 3/4" dia.
Turntable – ceramic cookware max. – upper	12 1/2" dia.
Rack – rectangular cookware max. – upper	15" x 12"
Oven cavity size – lower	4.6 cu. ft.
Overall lower oven interior dimensions (HxWxD)	17 13/16" x 24 1/8" x 18"
Usable lower oven interior dimensions (HxWxD)	12 1/4" x 23 1/4" x 15 1/4"
Net weight	259 lbs

Accessories – Included

Upper Oven: Metal Turntable, Square rack, Ceramic Cooking Tray
Lower Oven: 1 Telescopic and 2 Standard Oven Racks, Temperature Probe

Accessories – Optional



HEZTR301
30" Telescopic Rack



00798845
30" Flat Rack



C US *Lower wall oven only

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

24" Custom Panel Dishwasher



800 Series – Custom Panel SHV78CM3N



SHV78CM3N
Custom Panel

PowerControl™ spray arm targets your dirtiest dishes with a deeper clean, no matter where you load them on the bottom rack.

Features & Benefits

Patented CrystalDry™ technology transforms moisture into heat to get dishes, including plastics, 60% drier.*

The Flexible 3rd Rack with fold down sides adds 30% more* loading area, perfect for utensils and ramekins.

Enhance your cleaning experience with Wi-Fi enabled Home Connect®. Access additional wash cycles and options or choose the right one for your needs using Smart Cycle.

So quiet at 42 dBA, InfoLight® shines on the floor so you know the dishwasher is running.

General Properties	
Wash cycles (control panel)	5 (Heavy, Auto, Normal, Speed60 (1 hr Wash), Favorite)
Additional wash cycles (in Home Connect®)	3 (Delicate, Rinse, MachineCare)
Options (control panel)	3 (Sanitize, Remote Start, Crystal Dry)
Additional options (in Home Connect®)	2 (Half Load, Eco)
dBA	42
Wash system	PrecisionWash® with PowerControl™
Drying system	CrystalDry™
Third rack	Flexible 3rd Rack
Rack adjustability	Rackmatic®
Tub material	Stainless Steel
Concealed water heating element	Yes
Leak protection system	24/7 AquaStop®
Home Connect® (WiFi enabled)	Yes
NSF®-certified** sanitize option	Yes
Water softener	No
Five-level wash	Yes
Child Lock button suspension	No
Anti-Fingerprint Finish	N/A
Special features	CrystalDry™ Option, InfoLight®
Efficiency	
Water usage per cycle	3.2 gal
ENERGY STAR® Certified	Yes
Total annual energy consumption	240 kWh

Capacity	
Number of place settings	16
Technical Details	
Watts	1440 W
Current	12 Amps
Volts	120 V
Frequency	60 Hz
Power cord full length	67"
Power cord install length from edge of unit when facing the door	Left – 45" Right – 56"
Minimum water pressure	14 lb/sin
Length outlet hose	78 3/4"
Dimensions & Weight	
Overall appliance dimensions (HxWxD)	33 7/8" x 23 9/16" x 23 1/16"
Required cutout size (HxWxD)	33 7/8" x 24" x 24"
Adjustable feet	Yes
Net weight	93 lbs
Accessories—Optional	
Junction Box	SMZPCJB1UC
Junction Box + Supply Hose Kit	SMZ3IN1UC
Supply Hose Kit with Elbow	SMZSH1ABUC
Drain Hose Extension Kit	SGZ1010UC
Edge Protector + Power Cord Clip Install Kit	SMZEPCC1UC
Flexible 3rd Rack	SMZCD200UC
Stainless Steel Bosch Dishwasher Bar Handle	SMZ1008UC



* Based on aggregate average drying performance of Bosch Dishwashers with CrystalDry™ on combined household load including plastics, glass, steel, and porcelain as compared to Bosch Dishwashers with PureDry™. Drying performance may vary by dish type.

*Compared to a Bosch dishwasher with 2 racks.

**Certification to NSF/ANSI Standard 184 for residential dishwashers.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

30-Inch Refrigerator Column



DRR30980LAP/DA - Panel Ready, Left Hinge
DRR30980RAP/DA - Panel Ready, Right Hinge

Features & Benefits

- SteelCool™ full stainless steel interior
- iQ RemoteView™ cameras
- LED 3D Lighting
- Hidden touch control panels with SmartThings Wi-Fi connectivity
- Push-To-Open door
- FreshZone™ Drawer
- 15-year warranty on digital inverter compressor
- Internal water dispenser
- R600a refrigerant
- Panel ready

Controls

CONTROL TYPE	Easy Reach Hidden Glass Touch
WI-FI + SMARTTHINGS	Yes
SABBATH MODE	Yes

Features

TOTAL CAPACITY (CU. FT.)	17.8
PUSH-TO-OPEN	Yes
WATER DISPENSER	Internal Water Dispenser
IQ REMOTEVIEW™ CAMERA	Yes
DEODORIZING FILTER	Yes
LED LIGHTING	3D Lighting
INTERIOR MATERIAL	SteelCool™ (Full Stainless Steel Walls)
DIGITAL INVERTER COMPRESSOR	Yes
REFRIGERANT	R600a
CRISPER DRAWERS	2
DOOR BINS	4

Features

SHELVES	4
DOOR ALARM	Yes

Refrigerator

REFRIGERATOR CAPACITY (CU. FT.)	17.8
REFRIGERATOR TEMPERATURE	34°F to 44°F
FRESHZONE™ DRAWER TEMPERATURE	29°F, 33°F, 37°F
DEDICATED EVAPORATOR & COMPRESSOR SYSTEM	Yes
POWER COOL	Yes
FRESHZONE™ DRAWER	Yes

Weights & Dimensions

NET WEIGHT (LBS.)	472
SHIPPING WEIGHT (LBS.)	543
PRODUCT DIMENSIONS (W X H X D IN INCHES)	29 ¾ x 83 ¾ x 25
FLUSH CUTOUT REQUIRED (W X H X D IN INCHES)	30 x 84 x 25

Technical Details

ELECTRICAL REQUIREMENT	115V, 60 Hz, 15A
-------------------------------	------------------

Warranty

FULL COVERAGE	2 Years
SEALED SYSTEM, PARTS AND LABOR	6 Years
SEALED SYSTEM, PARTS ONLY	12 Years
COMPRESSOR, PARTS ONLY	15 Years

Accessories (Optional)

Please see page 13 of Reference Guide for a full list of accessories.

RAC30AMLHSR/DA	30" Panel Kit, Contemporary, Silver Stainless, Left	
RAC30AMRHSR/DA	30" Panel Kit, Contemporary, Silver Stainless, Right	
RAC30AMLHMS/DA	30" Panel Kit, Contemporary, Graphite Stainless, Left	
RAC30AMRHMS/DA	30" Panel Kit, Contemporary, Graphite Stainless, Right	
RACOOWFAAAA/DA	Water Filter for Refrigeration	
RACOODFAAAA/DA	Air Filter for Refrigeration DRF/DRR/DRW, Set of 6	
RACOOTCAAAA	Install Kit for Triple Built-In Refrigeration	
RACOOCFAAAA/DA	Install Kit to Pair Built-In Refrigeration	

24-Inch Freezer Column



DRZ24980LAP/DA - Panel Ready, Left Hinge
DRZ24980RAP/DA - Panel Ready, Right Hinge

Features & Benefits

- SteelCool™ full stainless steel interior
- LED 3D Lighting
- Hidden touch control panels with SmartThings Wi-Fi connectivity
- Push-To-Open door
- 15-year warranty on digital inverter compressor
- Dual icemaker with Cocktail Ice™
- R600a refrigerant
- Panel-ready

Controls

CONTROL TYPE	Easy Reach Hidden Glass Touch
WI-FI + SMARTTHINGS	Yes
SABBATH MODE	Yes

Features

TOTAL CAPACITY (CU. FT.)	13.6
PUSH-TO-OPEN	Yes
WATER DISPENSER	Internal Water Dispenser
ICEMAKER	Dual Icemaker with Cocktail Ice™
DEODORIZING FILTER	Yes
LED LIGHTING	3D Lighting
INTERIOR MATERIAL	SteelCool™ (Full Stainless Steel Walls)
DIGITAL INVERTER COMPRESSOR	Yes
REFRIGERANT	R600a
FREEZER DRAWERS	2

Features

DOOR BINS	4
SHELVES	4
DOOR ALARM	Yes

Refrigerator

FRESHZONE™ DRAWER	Yes
--------------------------	-----

Freezer

FREEZER CAPACITY (CU. FT.)	13.6
FREEZER TEMPERATURE	-8°F to 5°F
DEDICATED EVAPORATOR & COMPRESSOR SYSTEM	Yes
POWER FREEZE	Yes

Weights & Dimensions

NET WEIGHT (LBS.)	386
SHIPPING WEIGHT (LBS.)	503
PRODUCT DIMENSIONS (W X H X D IN INCHES)	23 ¾ x 83 ¾ x 25
FLUSH CUTOUT REQUIRED (W X H X D IN INCHES)	24 x 84 x 25

Technical Details

ELECTRICAL REQUIREMENT	115V, 60 Hz, 15A
-------------------------------	------------------

Warranty

FULL COVERAGE	2 Years
SEALED SYSTEM, PARTS AND LABOR	6 Years
SEALED SYSTEM, PARTS ONLY	12 Years
COMPRESSOR, PARTS ONLY	15 Years

Accessories (Optional)

Please see page 17 of Reference Guide for a full list of accessories.

RAC24AMLHSR/DA	24" Panel Kit, Contemporary, Silver Stainless, Left	
RAC24AMRHSR/DA	24" Panel Kit, Contemporary, Silver Stainless, Right	
RAC24AMLHMS/DA	24" Panel Kit, Contemporary, Graphite Stainless, Left	
RAC24AMRHMS/DA	24" Panel Kit, Contemporary, Graphite Stainless, Right	
RACOOWFAAAA/DA	Water Filter for Refrigeration	
RACOOTCAAAA	Install Kit for Triple Built-In Refrigeration	
RACOOCPAAAA/DA	Install Kit to Pair Built-In Refrigeration	